

## Stainless Steel Bench Scales

### Versa-portion®

Just as the name implies, versatility is perhaps the biggest selling point of the sturdy new model, with its stainless steel construction, IP68 rating, and a broad range of useful features. With capacities from six to 60 pounds, the Versa-portion is perfect for food processing, hygienic medical settings and everything in between. Its straight-forward keypad easily toggles between ounces, pounds and grams. And custom pans and fixtures can be designed for limitless weighing potential in any industry.



### BenchMark™ HE

Rice Lake has several bench scale models that are designed to withstand the rigors of frequent moisture contact and industrial cleaning processes. Starting with a stainless steel IP69K hermetically sealed load cell, the HE Series addresses the needs of hostile environment and washdown applications. Rice Lake's BenchMark HE performs reliably through the most demanding tasks, with a base that is specially engineered for overload protection.

### Stainless Steel Weights

Choose from NIST Class F Stainless Steel test weights available for individual purchase or in sets. Stainless steel weights are available in capacities from 4 oz-1/32 oz sets, or 1 mg to 500 mg individual leaf weights.



### TS Series Balance

The sleek looking stainless steel housing of Rice Lake's TS Series balance offers exceptional IP65-rated durability and makes cleaning effortless. Unique tuning fork technology provides a high-speed response time, with stable and reliable results. RS-232 Interface with a PC and other equipment is invaluable for creating compliance records and data storage.

## Stainless Steel Floor Scales

### RoughDeck® HE

The RoughDeck HE is a hostile environment, stainless steel floor scale designed specifically for corrosion resistance and long life in demanding washdown applications. Design features include a 6-inch, 304 stainless steel channel frame and smooth top plate. The RoughDeck HE comes standard with four stainless steel, IP67 welded seal, shear beam load cells, four stainless steel support feet, a stainless steel NEMA 4X TuffSeal® summing junction box and EL147HE hostile environment load cell cable to keep sensitive electronics far from damaging chemicals and moisture.

If you want to take the RoughDeck's efficiency further to give your maintenance crews hands-free access for cleaning, consider the AutoLift HE, RoughDeck® QC, or RoughDeck® SD.

### Autolift HE

If pneumatics exist in the application environment, the AutoLift HE with its own pneumatic lifting arm is ideal for new pit mount applications. Additionally, load cell cables are strategically routed to avoid food and chemical buildup.

### RoughDeck® QC

Ideal for new and retrofit systems, RoughDeck QC's exclusive gas-shock design provides easy lifting and soft closing of the stainless steel top plate for above ground or pit mounted applications with additional design protection from food and chemical buildup.

### RoughDeck® SD

The cost-efficient RoughDeck SD Sanitary Deck Floor Scale offers an easily replaceable, removable polyethylene deck for sanitization requirements while side brackets assure deck stability during washdown.



Your Rice Lake Weighing Systems distributor is:

**RICE LAKE**  
WEIGHING SYSTEMS  
To be the best by every measure®

**PALMETTO**  
PRECISION  
ENGINEERING & SCALES

**RICE LAKE**  
WEIGHING SYSTEMS  
To be the best by every measure®

# Poultry Solutions

## Weighing Tool Kit

**PALMETTO**  
PRECISION  
ENGINEERING & SCALES



## Weighing Solutions for the Poultry Industry

### There is a SURVIVOR® Truck Scale to fit your needs or we will custom-build it.

SURVIVOR® truck scales are designed and built for maximum durability and accuracy—the two factors that have the most significant impact on any operation's bottom line. Every model has earned NTEP certification (up to 16 feet wide on most models). SURVIVOR's superior weighbridge design yields from 70,000 lb up to 140,000 lb Concentrated Load Capacity (CLC) depending on model. SURVIVOR truck scales are designed to support weighing 250 trucks a day for 25 years without weighbridge failure—all backed by a five-year warranty.

### Legal for Trade Onboard Weighing System TradeRoute™

Instead of driving to a local approved truck scale to weigh, add TradeRoute Systems to your existing delivery or collection vehicles. TradeRoute is a low-profile onboard weighing system that bolts onto your existing straight truck frame and weighs via hydraulic lift the contents of the load. With TradeRoute, weighing is a one-man operation. On-site billing for delivered or collected materials eliminates guesswork and increases efficiency and customer satisfaction. NTEP certified for use in Class III and IIIL applications, you can be assured TradeRoute is the most economical and profitable accessory to your delivery and pick-up fleet.

### MotoWeigh® In-Motion Checkweighers

MotoWeigh in-motion weighing systems offer a broad selection of features and options to maximize efficiency. Find incredible accuracy and speed in a system that is designed for frequent and easy cleaning with stainless steel construction options with food grade belting for harsh environments. Automate and streamline your sorting and classifying processes for nearly any type of product. Capture yield rates electronically for better record keeping while maximizing profits and reducing classification errors.

### CW-90X Over/Under Washdown Checkweigher

For heavy washdown environments' HACCP requirements, choose Rice Lake's CW-90X. This over/under CW-90X checkweigher features hermetically sealed load cells, 304 stainless steel construction, extra-strength piezo keypad and an IP69K rating to survive daily sanitary washdowns. The rigid piezo keypad is made to withstand sharp knife-point contacts, and is resistant to most contaminants and liquids. The CW-90X will store detailed information for up to 50 separate IDs (expandable with WeighVault), allowing for easy recall of previously saved information. An adjustable contrast display is visible in any environment. NSF certification on the CW-90X assures the highest level of compliance and safety.

### WeighVault

WeighVault allows CW-90/90X users to add, edit, and access IDs over a network connection. WeighVault surpasses the CW-90/90X's 50 ID limitation and eliminates front-panel entry of ID parameters. It also collects data as transactions occur, and provides detailed transaction and productivity reports which can be exported to Excel, Word, or PDF. If an ID is entered in WeighVault, the CW-90/90X will load and begin using it when that ID number is selected from the front panel.

### OS Hanging Scale

Available in three capacities, 22, 55, and 99 lb, the OS Hanging Scale is designed for use in virtually any environment. A sturdy steel top S-hook suspends the scale from an adequate support and weighs using another steel S-hook attached to the product. This battery-powered scale is able to relocate anywhere in the plant or field. Carrying case is included.



### Intuitive and powerful Rice Lake Indicators



### 480 Legend™ Series

Rice Lake Weighing offers a complete line of weight indicators to fit any application, from the new 480 Legend™ Series to the best-selling 920i®. With its stainless steel enclosure and advanced gasket system, the industrial-strength 480 is built for dirty, wet environments and demanding workplaces, inside or out. Rice Lake's 480 is the industry's first choice for readability. With its large, ultra-bright LED display, 0.8-inch digits and sharp contrast, the 480 provides superior display visibility.

### 420 HE

The 420 HE indicator is available for unique applications requiring special resistance to highly corrosive environments. The large, bright display of the 420 HE is perfect for distance viewing.



### Rice Lake SURVIVOR® SST3® Washdown Printer

As an IP69K-rated printer, the SST3 features a stainless steel enclosure that completely seals out moisture and dust. For printing in meat, poultry, food, and chemical plants, the SST3 industrial label printer is the perfect choice for durability and performance.

### 920i®

The 920i programmable HMI Indicator/Controller takes charge of process applications and provides open connectivity to the most popular networking interfaces. One 920i indicator is capable of handling multiple scales, flow, temperature and pulse, and easily stores, recalls and reports data. Combined with the SST3 label printer, the 920i Box Label Program features a 920i universal mount with memory card. The 920i can connect wirelessly to the printer and directly through RS232 to a PC complete with unique software to hold up to 1,000 product files with all essential information such as sell by date and PLUs. Customize up to five different label formats, 100 customer files, and create multiple product reports with the touch of a button.



### Go-Between™

Go-Between fills a gap in the need to transfer data from balances and other scale equipment with RS-232 connections to a more widely accepted USB format. Once properly installed, Go-Between automatically captures weight data from a device each time its print command is activated. Go-Between then offers its own built-in USB port for sending data to any standard flash drive.



## Weighing Solutions for the Poultry Industry

### There is a SURVIVOR® Truck Scale to fit your needs or we will custom-build it.

SURVIVOR® truck scales are designed and built for maximum durability and accuracy—the two factors that have the most significant impact on any operation's bottom line. Every model has earned NTEP certification (up to 16 feet wide on most models). SURVIVOR's superior weighbridge design yields from 70,000 lb up to 140,000 lb Concentrated Load Capacity (CLC) depending on model. SURVIVOR truck scales are designed to support weighing 250 trucks a day for 25 years without weighbridge failure—all backed by a five-year warranty.

### Legal for Trade Onboard Weighing System TradeRoute™

Instead of driving to a local approved truck scale to weigh, add TradeRoute Systems to your existing delivery or collection vehicles. TradeRoute is a low-profile onboard weighing system that bolts onto your existing straight truck frame and weighs via hydraulic lift the contents of the load. With TradeRoute, weighing is a one-man operation. On-site billing for delivered or collected materials eliminates guesswork and increases efficiency and customer satisfaction. NTEP certified for use in Class III and IIIL applications, you can be assured TradeRoute is the most economical and profitable accessory to your delivery and pick-up fleet.

### MotoWeigh® In-Motion Checkweighers

MotoWeigh in-motion weighing systems offer a broad selection of features and options to maximize efficiency. Find incredible accuracy and speed in a system that is designed for frequent and easy cleaning with stainless steel construction options with food grade belting for harsh environments. Automate and streamline your sorting and classifying processes for nearly any type of product. Capture yield rates electronically for better record keeping while maximizing profits and reducing classification errors.

### CW-90X Over/Under Washdown Checkweigher

For heavy washdown environments' HACCP requirements, choose Rice Lake's CW-90X. This over/under CW-90X checkweigher features hermetically sealed load cells, 304 stainless steel construction, extra-strength piezo keypad and an IP69K rating to survive daily sanitary washdowns. The rigid piezo keypad is made to withstand sharp knife-point contacts, and is resistant to most contaminants and liquids. The CW-90X will store detailed information for up to 50 separate IDs (expandable with WeighVault), allowing for easy recall of previously saved information. An adjustable contrast display is visible in any environment. NSF certification on the CW-90X assures the highest level of compliance and safety.

### WeighVault

WeighVault allows CW-90/90X users to add, edit, and access IDs over a network connection. WeighVault surpasses the CW-90/90X's 50 ID limitation and eliminates front-panel entry of ID parameters. It also collects data as transactions occur, and provides detailed transaction and productivity reports which can be exported to Excel, Word, or PDF. If an ID is entered in WeighVault, the CW-90/90X will load and begin using it when that ID number is selected from the front panel.

### OS Hanging Scale

Available in three capacities, 22, 55, and 99 lb, the OS Hanging Scale is designed for use in virtually any environment. A sturdy steel top S-hook suspends the scale from an adequate support and weighs using another steel S-hook attached to the product. This battery-powered scale is able to relocate anywhere in the plant or field. Carrying case is included.



### Intuitive and powerful Rice Lake Indicators



### 480 Legend™ Series

Rice Lake Weighing offers a complete line of weight indicators to fit any application, from the new 480 Legend™ Series to the best-selling 920i®. With its stainless steel enclosure and advanced gasket system, the industrial-strength 480 is built for dirty, wet environments and demanding workplaces, inside or out. Rice Lake's 480 is the industry's first choice for readability. With its large, ultra-bright LED display, 0.8-inch digits and sharp contrast, the 480 provides superior display visibility.

### 420 HE

The 420 HE indicator is available for unique applications requiring special resistance to highly corrosive environments. The large, bright display of the 420 HE is perfect for distance viewing.



### Rice Lake SURVIVOR® SST3® Washdown Printer

As an IP69K-rated printer, the SST3 features a stainless steel enclosure that completely seals out moisture and dust. For printing in meat, poultry, food, and chemical plants, the SST3 industrial label printer is the perfect choice for durability and performance.

### 920i®

The 920i programmable HMI Indicator/Controller takes charge of process applications and provides open connectivity to the most popular networking interfaces. One 920i indicator is capable of handling multiple scales, flow, temperature and pulse, and easily stores, recalls and reports data. Combined with the SST3 label printer, the 920i Box Label Program features a 920i universal mount with memory card. The 920i can connect wirelessly to the printer and directly through RS232 to a PC complete with unique software to hold up to 1,000 product files with all essential information such as sell by date and PLUs. Customize up to five different label formats, 100 customer files, and create multiple product reports with the touch of a button.



### Go-Between™

Go-Between fills a gap in the need to transfer data from balances and other scale equipment with RS-232 connections to a more widely accepted USB format. Once properly installed, Go-Between automatically captures weight data from a device each time its print command is activated. Go-Between then offers its own built-in USB port for sending data to any standard flash drive.



## Weighing Solutions for the Poultry Industry

### There is a SURVIVOR® Truck Scale to fit your needs or we will custom-build it.

SURVIVOR® truck scales are designed and built for maximum durability and accuracy—the two factors that have the most significant impact on any operation's bottom line. Every model has earned NTEP certification (up to 16 feet wide on most models). SURVIVOR's superior weighbridge design yields from 70,000 lb up to 140,000 lb Concentrated Load Capacity (CLC) depending on model. SURVIVOR truck scales are designed to support weighing 250 trucks a day for 25 years without weighbridge failure—all backed by a five-year warranty.

### Legal for Trade Onboard Weighing System TradeRoute™

Instead of driving to a local approved truck scale to weigh, add TradeRoute Systems to your existing delivery or collection vehicles. TradeRoute is a low-profile onboard weighing system that bolts onto your existing straight truck frame and weighs via hydraulic lift the contents of the load. With TradeRoute, weighing is a one-man operation. On-site billing for delivered or collected materials eliminates guesswork and increases efficiency and customer satisfaction. NTEP certified for use in Class III and IIIL applications, you can be assured TradeRoute is the most economical and profitable accessory to your delivery and pick-up fleet.

### MotoWeigh® In-Motion Checkweighers

MotoWeigh in-motion weighing systems offer a broad selection of features and options to maximize efficiency. Find incredible accuracy and speed in a system that is designed for frequent and easy cleaning with stainless steel construction options with food grade belting for harsh environments. Automate and streamline your sorting and classifying processes for nearly any type of product. Capture yield rates electronically for better record keeping while maximizing profits and reducing classification errors.

### CW-90X Over/Under Washdown Checkweigher

For heavy washdown environments' HACCP requirements, choose Rice Lake's CW-90X. This over/under CW-90X checkweigher features hermetically sealed load cells, 304 stainless steel construction, extra-strength piezo keypad and an IP69K rating to survive daily sanitary washdowns. The rigid piezo keypad is made to withstand sharp knife-point contacts, and is resistant to most contaminants and liquids. The CW-90X will store detailed information for up to 50 separate IDs (expandable with WeighVault), allowing for easy recall of previously saved information. An adjustable contrast display is visible in any environment. NSF certification on the CW-90X assures the highest level of compliance and safety.

### WeighVault

WeighVault allows CW-90/90X users to add, edit, and access IDs over a network connection. WeighVault surpasses the CW-90/90X's 50 ID limitation and eliminates front-panel entry of ID parameters. It also collects data as transactions occur, and provides detailed transaction and productivity reports which can be exported to Excel, Word, or PDF. If an ID is entered in WeighVault, the CW-90/90X will load and begin using it when that ID number is selected from the front panel.

### OS Hanging Scale

Available in three capacities, 22, 55, and 99 lb, the OS Hanging Scale is designed for use in virtually any environment. A sturdy steel top S-hook suspends the scale from an adequate support and weighs using another steel S-hook attached to the product. This battery-powered scale is able to relocate anywhere in the plant or field. Carrying case is included.



### Intuitive and powerful Rice Lake Indicators



### 480 Legend™ Series

Rice Lake Weighing offers a complete line of weight indicators to fit any application, from the new 480 Legend™ Series to the best-selling 920i®. With its stainless steel enclosure and advanced gasket system, the industrial-strength 480 is built for dirty, wet environments and demanding workplaces, inside or out. Rice Lake's 480 is the industry's first choice for readability. With its large, ultra-bright LED display, 0.8-inch digits and sharp contrast, the 480 provides superior display visibility.

### 420 HE

The 420 HE indicator is available for unique applications requiring special resistance to highly corrosive environments. The large, bright display of the 420 HE is perfect for distance viewing.



### Rice Lake SURVIVOR® SST3® Washdown Printer

As an IP69K-rated printer, the SST3 features a stainless steel enclosure that completely seals out moisture and dust. For printing in meat, poultry, food, and chemical plants, the SST3 industrial label printer is the perfect choice for durability and performance.

### 920i®

The 920i programmable HMI Indicator/Controller takes charge of process applications and provides open connectivity to the most popular networking interfaces. One 920i indicator is capable of handling multiple scales, flow, temperature and pulse, and easily stores, recalls and reports data. Combined with the SST3 label printer, the 920i Box Label Program features a 920i universal mount with memory card. The 920i can connect wirelessly to the printer and directly through RS232 to a PC complete with unique software to hold up to 1,000 product files with all essential information such as sell by date and PLUs. Customize up to five different label formats, 100 customer files, and create multiple product reports with the touch of a button.



### Go-Between™

Go-Between fills a gap in the need to transfer data from balances and other scale equipment with RS-232 connections to a more widely accepted USB format. Once properly installed, Go-Between automatically captures weight data from a device each time its print command is activated. Go-Between then offers its own built-in USB port for sending data to any standard flash drive.



## Stainless Steel Bench Scales

### Versa-portion®

Just as the name implies, versatility is perhaps the biggest selling point of the sturdy new model, with its stainless steel construction, IP68 rating, and a broad range of useful features. With capacities from six to 60 pounds, the Versa-portion is perfect for food processing, hygienic medical settings and everything in between. Its straight-forward keypad easily toggles between ounces, pounds and grams. And custom pans and fixtures can be designed for limitless weighing potential in any industry.



### BenchMark™ HE

Rice Lake has several bench scale models that are designed to withstand the rigors of frequent moisture contact and industrial cleaning processes. Starting with a stainless steel IP69K hermetically sealed load cell, the HE Series addresses the needs of hostile environment and washdown applications. Rice Lake's BenchMark HE performs reliably through the most demanding tasks, with a base that is specially engineered for overload protection.

### Stainless Steel Weights

Choose from NIST Class F Stainless Steel test weights available for individual purchase or in sets. Stainless steel weights are available in capacities from 4 oz-1/32 oz sets, or 1 mg to 500 mg individual leaf weights.



### TS Series Balance

The sleek looking stainless steel housing of Rice Lake's TS Series balance offers exceptional IP65-rated durability and makes cleaning effortless. Unique tuning fork technology provides a high-speed response time, with stable and reliable results. RS-232 Interface with a PC and other equipment is invaluable for creating compliance records and data storage.

## Stainless Steel Floor Scales

### RoughDeck® HE

The RoughDeck HE is a hostile environment, stainless steel floor scale designed specifically for corrosion resistance and long life in demanding washdown applications. Design features include a 6-inch, 304 stainless steel channel frame and smooth top plate. The RoughDeck HE comes standard with four stainless steel, IP67 welded seal, shear beam load cells, four stainless steel support feet, a stainless steel NEMA 4X TuffSeal® summing junction box and EL147HE hostile environment load cell cable to keep sensitive electronics far from damaging chemicals and moisture.

If you want to take the RoughDeck's efficiency further to give your maintenance crews hands-free access for cleaning, consider the AutoLift HE, RoughDeck® QC, or RoughDeck® SD.

### Autolift HE

If pneumatics exist in the application environment, the AutoLift HE with its own pneumatic lifting arm is ideal for new pit mount applications. Additionally, load cell cables are strategically routed to avoid food and chemical buildup.

### RoughDeck® QC

Ideal for new and retrofit systems, RoughDeck QC's exclusive gas-shock design provides easy lifting and soft closing of the stainless steel top plate for above ground or pit mounted applications with additional design protection from food and chemical buildup.

### RoughDeck® SD

The cost-efficient RoughDeck SD Sanitary Deck Floor Scale offers an easily replaceable, removable polyethylene deck for sanitization requirements while side brackets assure deck stability during washdown.



Your Rice Lake Weighing Systems distributor is:

**RICE LAKE**  
WEIGHING SYSTEMS  
To be the best by every measure®

**PALMETTO**  
PRECISION  
ENGINEERING & SCALES

**RICE LAKE**  
WEIGHING SYSTEMS  
To be the best by every measure®

# Poultry Solutions

## Weighing Tool Kit

**PALMETTO**  
PRECISION  
ENGINEERING & SCALES



## Stainless Steel Bench Scales

### Versa-portion®

Just as the name implies, versatility is perhaps the biggest selling point of the sturdy new model, with its stainless steel construction, IP68 rating, and a broad range of useful features. With capacities from six to 60 pounds, the Versa-portion is perfect for food processing, hygienic medical settings and everything in between. Its straight-forward keypad easily toggles between ounces, pounds and grams. And custom pans and fixtures can be designed for limitless weighing potential in any industry.



### BenchMark™ HE

Rice Lake has several bench scale models that are designed to withstand the rigors of frequent moisture contact and industrial cleaning processes. Starting with a stainless steel IP69K hermetically sealed load cell, the HE Series addresses the needs of hostile environment and washdown applications. Rice Lake's BenchMark HE performs reliably through the most demanding tasks, with a base that is specially engineered for overload protection.

### Stainless Steel Weights

Choose from NIST Class F Stainless Steel test weights available for individual purchase or in sets. Stainless steel weights are available in capacities from 4 oz-1/32 oz sets, or 1 mg to 500 mg individual leaf weights.



### TS Series Balance

The sleek looking stainless steel housing of Rice Lake's TS Series balance offers exceptional IP65-rated durability and makes cleaning effortless. Unique tuning fork technology provides a high-speed response time, with stable and reliable results. RS-232 Interface with a PC and other equipment is invaluable for creating compliance records and data storage.

## Stainless Steel Floor Scales

### RoughDeck® HE

The RoughDeck HE is a hostile environment, stainless steel floor scale designed specifically for corrosion resistance and long life in demanding washdown applications. Design features include a 6-inch, 304 stainless steel channel frame and smooth top plate. The RoughDeck HE comes standard with four stainless steel, IP67 welded seal, shear beam load cells, four stainless steel support feet, a stainless steel NEMA 4X TuffSeal® summing junction box and EL147HE hostile environment load cell cable to keep sensitive electronics far from damaging chemicals and moisture.

If you want to take the RoughDeck's efficiency further to give your maintenance crews hands-free access for cleaning, consider the AutoLift HE, RoughDeck® QC, or RoughDeck® SD.

### Autolift HE

If pneumatics exist in the application environment, the AutoLift HE with its own pneumatic lifting arm is ideal for new pit mount applications. Additionally, load cell cables are strategically routed to avoid food and chemical buildup.

### RoughDeck® QC

Ideal for new and retrofit systems, RoughDeck QC's exclusive gas-shock design provides easy lifting and soft closing of the stainless steel top plate for above ground or pit mounted applications with additional design protection from food and chemical buildup.

### RoughDeck® SD

The cost-efficient RoughDeck SD Sanitary Deck Floor Scale offers an easily replaceable, removable polyethylene deck for sanitization requirements while side brackets assure deck stability during washdown.



Your Rice Lake Weighing Systems distributor is:

**RICE LAKE**  
WEIGHING SYSTEMS  
To be the best by every measure®

**PALMETTO**  
PRECISION  
ENGINEERING & SCALES

**RICE LAKE**  
WEIGHING SYSTEMS  
To be the best by every measure®

# Poultry Solutions

## Weighing Tool Kit

**PALMETTO**  
PRECISION  
ENGINEERING & SCALES